Author Index

AALBERSE, R.C. *see* BUDDE, I.K.
AKHTER, J. *see* MATIN, K.
ALLEN, J.M. *see* BODMAN-SMITH, K.B.
AMEL KASHIPAZ, M.R., HUGGINS, M.L., POWELL, R.J. & TODD, I. Human autologous mixed lymphocyte reaction as an *in vitro* model for autoreactivity to apoptotic antigens, 358
ANURADHA, C.D. *see* HIRANO, S.
AOBA, T. *see* SENPUKU, H.
ASANO, T. *see* SENPUKU, H.
ATHANASSAKIS, I. & VASSILIADIS, S.V. Interplay between T helper type 1 and type 2 cytokines and soluble major histocompatibility complex molecules: a paradigm in pregnancy, 281

BABA, M. *see* NISHIMURA, Y.
BABIUK, L.A. *see* BACA-ESTRADA, M.E.
BACA-ESTRADA, M.E., EWEN, C., MAHONY, D., BABIUK, L.A., WILKIE, D. & FOLDVARI, M. The haemopoietic growth factor, Flt3L, alters the immune response induced by transcutaneous immunization, 69
BAEK, K.-M. *see* KIM, K.-M.
BAI, T.R. *see* ZHENG, X.
BAUER, D., SCHMITZ, A., VAN ROOIJEN, N., STEUHL, K.-P. & HEILIGENHAUS, A. Conjunctival macrophage-mediated influence of the local and systemic immune response after corneal herpes simplex virus-1 infection, 118
BEAVIL, A. *see* CHEN, B.-H.
BEAVIL, R. *see* CHEN, B.-H.
VAN DEN BERG, C.W., GONÇALVES DE ANDRADE, R.M., MAGNOLI, F.C., MARCHBANK, K.J. & TAMBOURGI, D.V. *Loxosceles* spider venom induces metalloproteinase mediated cleavage of MCP/CD46 and MHCI and induces protection against C-mediated lysis, 102
VAN DEN BERG, C.W. *see* TAMBOURGI, D.V.
BILLINGTON, S.J. *see* TAMBOURGI, D.V.
BLACKLAWS, B.A. *see* CHAN, S.S.M.
BODMAN-SMITH, K.B., MELENDEZ, A.J., CAMPBELL, I., HARRISON, P.T., ALLEN, J.M. & RAYNES, J.G. C-reactive protein-mediated phagocytosis and phospholipase D signalling through the high-affinity receptor for immunoglobulin G (FcγRI), 252
BOEHME, M.W.J., GALLE, P. & STREMMEL, W. Kinetics of thrombomodulin release and endothelial cell injury by neutrophil-derived proteases and oxygen radicals, 340
BOETTICHER, E. *see* MYOU, S.
BORGER, P. *see* HEIJINK, I.H.
BOTHA, T. & RYFFEL, B. Reactivation of latent tuberculosis by an inhibitor of inducible nitric oxide synthase in an aerosol murine model, 350
BREMME, K. *see* HOLMLUND, U.
BROXMEYER, H.E. *see* MACK, D.L.
BUDDE, I.K., DE HEER, P.G., NATTER, S., MAHLER, V., VAN DER ZEE, J.S., VALENTA, R. & AALBERSE, R.C. Studies on the association between immunoglobulin E autoreactivity and immunoglobulin E-dependent histamine-releasing factors, 243

CALVIELLO, G. *see* GATTA, L.
CALZASCIA, T. *see* WALKER, P.R.
CAMPBELL, I. *see* BODMAN-SMITH, K.B.
CAVEN, T.H. *see* CHEN, B.-H.
CEBERS, G. *see* HOLMLUND, U.
CHAN, S.S.M., McCONNELL, I. & BLACKLAWS, B.A. Generation and characterization of ovine dendritic cells derived from peripheral blood monocytes, 366
CHAN-LI, Y. *see* CHEN, B.-H.
CHANDLER, P. *see* LEE, G.K.
CHEADLE, E.J. & JACKSON, A.M. Bugs as drugs for cancer, 10
CHEN, B.-H., MA, C., CAVEN, T.H., CHAN-LI, Y., BEAVIL, A., BEAVIL, R., GOULD, H. & CONRAD, D.H. Necessity of the stalk region for immunoglobulin E interaction with CD23, 373
CHEN, Q., MA, Y. & ROSS, A.C. Opposing cytokine-specific effects of all *trans*-retinoic acid on the activation and expression of signal transducer and activator of transcription (STAT)-1 in THP-1 cells, 199
CHIEN, Y.-H. *see* GÜTGEMANN, I.
CHOI, M.-U. *see* LEE, Y.
CHOI, M.S. *see* LEE, Y.
CHU, F. *see* ZHENG, X.
CONRAD, D.H. *see* CHEN, B.-H.
COOPER, S. *see* MACK, D.L.
COWLEY, E. *see* GUILBAULT, C.

DAHLFORS, A.R. *see* HOLMLUND, U.
DANG, N.H. *see* OHNUMA, K.
DARLING, J.M. *see* GÜTGEMANN, I.
DAVIS, M.M. *see* GÜTGEMANN, I.
DE SOUSA DA SILVA, M. *see* TAMBOURGI, D.V.
DEANS, J.P., LI, H. & POLYAK, M.J. CD20-mediated apoptosis: signalling through lipid rafts, 176
DEJONGHE, D. *see* TANG, X.
DEKAN, G. *see* GRÖNLUND, H.
DI NICUOLO, F. *see* GATTA, L.
DIETRICH, P.-Y. *see* WALKER, P.R.
VAN DIJK-HÄRD, I. & LUNDKVIST, I. Long-term kinetics of adult human antibody repertoires, 136
DIJKHUIS, A.-J. *see* ROOZENDAAL, R.
DISSANAYAKE, S., KHAN, N., SHAHIN, A., WIJESINGHE, S. & LUKIC, M. Induction of immunoglobulin G1, interleukin-6 and interleukin-10 by *Taenia crassiceps* metacestode carbohydrates, 411
DOOPER, M.M.B.W., WASSINK, L., M'RABET, L. & GRAUS, Y.M.F. The modulatory effects of prostaglandin-E on cytokine production by human peripheral blood mononuclear cells are independent of the prostaglandin subtype, 152
DORIA, G. *see* GATTA, L.
DURONIO, V. *see* ZHENG, X.

EIDELMAN, D.H. *see* GUILBAULT, C.
EIS-HÜBINGER, A.M. *see* SIEVERS, E.
EKERFELT, C. *see* WIDHE, M.
EKSTRÖM, E.S. *see* HOLMLUND, U.
ERNERUDH, J. *see* WIDHE, M.
EWEN, C. *see* BACA-ESTRADA, M.E.

FIRPO, E.J., KONG, R.K., ZHOU, Q., RUDENSKY, A.Y., ROBERTS, J.M. & FRANZA, B.R. Antigen-specific dose-dependent system for the study of an inheritable and reversible phenotype in mouse $CD4^+$ T cells, 480
FOLDVARI, M. *see* BACA-ESTRADA, M.E.
FORCONI, F., KING, C.A., SAHOTA, S.S., KENNAWAY, C.K., RUSSELL, N.H. & STEVENSON, F.K. Insight into the potential for DNA idiotypic fusion vaccines designed for patients by analysing xenogeneic anti-idiotypic antibody responses, 39
FORSBERG, P. *see* WIDHE, M.
FRANZA, B.R. *see* FIRPO, E.J.
FRENYÓ, L.V. *see* MAYER, B.

GÜTGEMANN, I., DARLING, J.M., GREENBERG, H.B., DAVIS, M.M. & CHIEN, Y.-H. A blood-borne antigen induces rapid T–B cell contact: a potential mechanism for tolerance induction, 420
GALEA-LAURI, J. Immunological weapons against acute myeloid leukaemia, 20
GALLE, P. *see* BOEHME, M.W.J.
GALLIMORE, A. & SAKAGUCHI, S. Regulation of tumour immunity by $CD25^+$ T cells, 5
GATTA, L., CALVIELLO, G., DI NICUOLO, F., PACE, L., UBALDI, V., DORIA, G. & PIOLI, C. Cytotoxic T lymphocyte-associated antigen-4 inhibits integrin-mediated stimulation, 209
GOLDMANN, O., ROHDE, M. & MEDINA, E. Phagocytosis of bacille Calmette–Guérin-infected necrotic macrophages induces a maturation phenotype and evokes antigen-presentation functions in dendritic cells, 500
GONÇALVES DE ANDRADE, R.M. *see* TAMBOURGI, D.V.
GONÇALVES DE ANDRADE, R.M. *see* VAN DEN BERG, C.W.
GOULD, H. *see* CHEN, B.-H.
GRÖNLUND, H., VRTALA, S., WIEDERMANN, U., DEKAN, G., KRAFT, D., VALENTA, R. & VAN HAGE-HAMSTEN, M. Carbohydrate-based particles: a new adjuvant for allergen-specific immunotherapy, 523
GRANT, G. *see* LAVELLE, E.C.
GRAUS, Y.M.F. *see* DOOPER, M.M.B.W.
GREENBERG, H.B. *see* GÜTGEMANN, I.
GRUSELL, M. *see* WIDHE, M.
GUILBAULT, C., STOTLAND, P., LACHANCE, C., TAM, M., KELLER, A., THOMPSON-SNIPES, L., COWLEY, E., HAMILTON, T.A., EIDELMAN, D.H., STEVENSON, M.M. & RADZIOCH, D. Influence of gender and interleukin-10 deficiency on the inflammatory response during lung infection with *Pseudomonas aeruginosa* in mice, 297
GUZMAN-ROJAS, L., SIMS-MOURTADA, J.C., RANGEL, R. & MARTINEZ-VALDEZ, H. Life and death within germinal centres: a double-edged sword, 167

HAASE, C., JØRGENSEN, T.N. & MICHELSEN, B.K. Both exogenous and endogenous interleukin-10 affects the maturation of bone-marrow-derived dendritic cells *in vitro* and strongly influences T-cell priming *in vivo*, 489
HAMANN, K.J. *see* MYOU, S.
HAMILTON, T.A. *see* GUILBAULT, C.
HAMMARSTRÖM, L. *see* MAYER, B.
HANADA, N. *see* MATIN, K.
HANADA, N. *see* SENPUKU, H.
HARADA, T. *see* TORII, I.

HARRISON, P.T. *see* BODMAN-SMITH, K.B.
HATTORI, S. *see* YAMAMOTO, C.
DE HEER, P.G. *see* BUDDE, I.K.
HEIJINK, I.H., VELLENGA, E., BORGER, P., POSTMA, D.S., DE MONCHY, J.G.R. & KAUFFMAN, H.F. Interleukin-6 promotes the production of interleukin-4 and interleukin-5 by interleukin-2-dependent and -independent mechanisms in freshly isolated human T cells, 316
DE MONCHY, J.G.R. *see* HEIJINK, I.H.
DE MONCHY, J.G.R. *see* ROOZENDAAL, R.
HEILIGENHAUS, A. *see* BAUER, D.
HIRAHARA, K. *see* YOSHITOMI, T.
HIRANO, S., ANURADHA, C.D. & KANNO, S. *krox-20/egr-2* is up-regulated following non-specific and homophilic adhesion in rat macrophages, 86
HIRASAWA, N., OHTSU, H., WATANABE, T. & OHUCHI, K. Enhancement of neutrophil infiltration in histidine decarboxylase-deficient mice, 217
HOLMLUND, U., CEBERS, G., DAHLFORS, A.R., SANDSTEDT, B., BREMME, K., EKSTRÖM, E.S. & SCHEYNIUS, A. Expression and regulation of the pattern recognition receptors Toll-like receptor-2 and Toll-like receptor-4 in the human placenta, 145
HONDA, M. *see* SENPUKU, H.
HONG, J. *see* TEJADA-SIMON, M.V.
HORIBATA, S. *see* SENPUKU, H.
HOSOKAWA, M. *see* NISHIMURA, Y.
HOSOKAWA, T. *see* NISHIMURA, Y.
HOSONO, M. *see* NISHIMURA, Y.
HOSONO, O. *see* OHNUMA, K.
HROMAS, R. *see* MACK, D.L.
HUGGINS, M.L. *see* AMEL KASHIPAZ, M.R.

IKAWA, H. *see* WAN, W.
IMOTO, T. *see* TSUJIHATA, Y.
INOUYE, S. *see* YOSHITOMI, T.
ISHII, T. *see* OHNUMA, K.
IWATA, S. *see* OHNUMA, K.

JØRGENSEN, T.N. *see* HAASE, C.
JACKSON, A.M. *see* CHEADLE, E.J.
JANCSIK, V. *see* MAYER, B.
JOLLES, S. *see* SEWELL, W.A.C.

KACSKOVICS, I. *see* MAYER, B.
KANG, C.-Y. *see* KIM, K.-M.
KANNO, S. *see* HIRANO, S.
KARSAN, A. *see* ZHENG, X.
KAUFFMAN, H.F. *see* HEIJINK, I.H.
KAUFFMAN, HENKF. *see* ROOZENDAAL, R.
KAWAGUCHI, J. *see* YOSHITOMI, T.
KAWASAKI, H. *see* OHNUMA, K.
KELLER, A. *see* GUILBAULT, C.
KENNAWAY, C.K. *see* FORCONI, F.
KHAN, N. *see* DISSANAYAKE, S.
KIDA, Y., SHIMIZU, T. & KUWANO, K. Opposing roles of activator protein-1 and CCAAT/enhancer binding protein β in the regulation of inducible granulysin gene expression in a human monocytic cell line, THP-1, 507
KIM, H.W. *see* KIM, K.-M.
KIM, J.-O. *see* KIM, K.-M.
KIM, J.G. *see* KIM, K.-M.
KIM, K.-M., KIM, H.W., KIM, J.-O., BAEK, K.-M., KIM, J.G. & KANG, C.-Y. Induction of 4-1BB (CD137) expression by DNA damaging agents in human T lymphocytes, 472
KIM, S. *see* LEE, Y.
KIM, S.-T. *see* YAMAMOTO, C.
KING, C.A. *see* FORCONI, F.
KOCH, N. *see* SIEVERS, E.
KOH, E.-H. *see* LEE, Y.
KONG, R.K. *see* FIRPO, E.J.
KRAFT, D. *see* GRÖNLUND, H.
KUWANO, K. *see* KIDA, Y.

LACHANCE, C. *see* GUILBAULT, C.
LAMBERTINO, A. *see* MYOU, S.
LAVELLE, E.C., GRANT, G., PUSZTAI, A., PFÜLLER, U., LEAVY, O., MCNEELA, E., MILLS, K.H.G. & O'HAGAN, D.T. Mistletoe lectins enhance immune responses to intranasally co-administered herpes simplex virus glycoprotein D2, 268
LEAVY, O. *see* LAVELLE, E.C.
LEE, G.K., PARK, H.J., MACLEOD, M., CHANDLER, P., MUNN, D.H. & MELLOR, A.L. Tryptophan deprivation sensitizes activated T cells to apoptosis prior to cell division, 452
LEE, Y., SONG, S.-M., PARK, H.S., KIM, S., KOH, E.-H., CHOI, M.S. & CHOI, M.-U. Elevation of oleate-activated phospholipase D activity during thymic atrophy, 435
LEFF, A.R. *see* MYOU, S.
LEIBOWITZ, D.S. *see* MACK, D.L.
LI, H. *see* DEANS, J.P.
LUKIC, M. *see* DISSANAYAKE, S.

LUNDKVIST, I. *see* VAN DIJK-HÄRD, I.

M'RABET, L. *see* DOOPER, M.M.B.W.
MA, C. *see* CHEN, B.-H.
MA, Y. *see* CHEN, Q.
MACK, D.L., LEIBOWITZ, D.S., COOPER, S., RAMSEY, H., BROXMEYER, H.E. & HROMAS, R. Down-regulation of the myeloid homeobox protein Hex is essential for normal T-cell development, 444
MACLEOD, M. *see* LEE, G.K.
MAGNOLI, F.C. *see* VAN DEN BERG, C.W.
MAGNOLI, F.C. *see* TAMBOURGI, D.V.
MAHLER, V. *see* BUDDE, I.K.
MAHONY, D. *see* BACA-ESTRADA, M.E.
MARCHBANK, K.J. *see* VAN DEN BERG, C.W.
MARTINEZ-VALDEZ, H. *see* GUZMAN-ROJAS, L.
MATIN, K. *see* SENPUKU, H.
MATIN, K., SALAM, M.A., AKHTER, J., HANADA, N. & SENPUKU, H. Role of stromal-cell derived factor-1 in the development of autoimmune diseases in non-obese diabetic mice, 222
MAYER, B., ZOLNAI, A., FRENYÓ, L.V., JANCSIK, V., SZENTIRMAY, Z., HAMMARSTRÖM, L. & KACSKOVICS, I. Redistribution of the sheep neonatal Fc receptor in the mammary gland around the time of parturition in ewes and its localization in the small intestine of neonatal lambs, 288
McCONNELL, I. *see* CHAN, S.S.M.
McNEELA, E. *see* LAVELLE, E.C.
MEDINA, E. *see* GOLDMANN, O.
MELENDEZ, A.J. *see* BODMAN-SMITH, K.B.
MELITON, A. *see* MYOU, S.
MELLOR, A.L. *see* LEE, G.K.
MICHELSEN, B.K. *see* HAASE, C.
MILLS, K.H.G. *see* LAVELLE, E.C.
MIZUKAMI, Y. *see* TSUJIHATA, Y.
MORIKAWA, S. *see* TORII, I.
MORIMOTO, C. *see* OHNUMA, K.
MUNN, D.H. *see* LEE, G.K.
MUNOZ, N.M. *see* MYOU, S.
MYO, S. *see* MYOU, S.
MYOU, S., ZHU, X., BOETTICHER, E., QIN, Y., MYO, S., MELITON, A., LAMBERTINO, A., MUNOZ, N.M., HAMANN, K.J. & LEFF, A.R. Regulation of adhesion of AML14.3D10 cells by surface clustering of β_2-integrin caused by ERK-independent activation of $cPLA_2$, 77

NATTER, S. *see* BUDDE, I.K.
NEUMANN, J. *see* SIEVERS, E.
NISHIMURA, Y., HOSOKAWA, T., HOSONO, M., BABA, M. & HOSOKAWA, M. Insufficient interleukin-2 production from splenic $CD4^+$ T cells causes impaired cell proliferation and early apoptosis in SAMP1, a strain of senescence-accelerated mouse, 190
NORDENSSON, K. *see* TANG, X.

O'CONNOR, R. *see* WALSH, P.T.
O'HAGAN, D.T. *see* LAVELLE, E.C.
ODA-UEDA, N. *see* YAMAMOTO, C.
OHNO, M. *see* YAMAMOTO, C.
OHNUMA, K., ISHII, T., IWATA, S., HOSONO, O., KAWASAKI, H., UCHIYAMA, M., TANAKA, H., YAMOCHI, T., DANG, N.H. & MORIMOTO, C. G1/S cell cycle arrest provoked in human T cells by antibody to CD26, 325
OHTSU, H. *see* HIRASAWA, N.
OHUCHI, K. *see* HIRASAWA, N.
OMMEN, E.T.V. *see* ROOZENDAAL, R.

PACE, L. *see* GATTA, L.
PARK, H.J. *see* LEE, G.K.
PARK, H.S. *see* LEE, Y.
PFÜLLER, U. *see* LAVELLE, E.C.
PIOLI, C. *see* GATTA, L.
POLYAK, M.J. *see* DEANS, J.P.
POSTMA, D.S. *see* HEIJINK, I.H.
POSTMA, D.S. *see* ROOZENDAAL, R.
POWELL, R.J. *see* AMEL KASHIPAZ, M.R.
PUSZTAI, A. *see* LAVELLE, E.C.

QIN, Y. *see* MYOU, S.

RADZIOCH, D. *see* GUILBAULT, C.
RAFTERY, M. *see* SIEVERS, E.
RAMSEY, H. *see* MACK, D.L.
RANGEL, R. *see* GUZMAN-ROJAS, L.
RAYNES, J.G. *see* BODMAN-SMITH, K.B.
REIS E SOUSA, C. *see* SCHULZ, O.
RIVERA, V.M. *see* TEJADA-SIMON, M.V.
ROBERTS, J.M. *see* FIRPO, E.J.
ROHDE, M. *see* GOLDMANN, O.
VAN ROOIJEN, N. *see* BAUER, D.

ROOZENDAAL, R., KAUFFMAN, HENKF., DIJKHUIS, A.-J., OMMEN, E.T.V., POSTMA, D.S., DE MONCHY, J.G.R. & VELLENGA, E. Interaction between nitric oxide and subsets of human T lymphocytes with differences in glutathione metabolism, 334
ROSS, A.C. *see* CHEN, Q.
RUDENSKY, A.Y. *see* FIRPO, E.J.
RUSSELL, N.H. *see* FORCONI, F.
RYFFEL, B. *see* BOTHA, T.

SAHOTA, S.S. *see* FORCONI, F.
SAITO, S. *see* YOSHITOMI, T.
SAKAGUCHI, M. *see* YOSHITOMI, T.
SAKAGUCHI, S. *see* GALLIMORE, A.
SALAM, M.A. *see* MATIN, K.
SALAM, M.A. *see* SENPUKU, H.
SANDSTEDT, B. *see* HOLMLUND, U.
SATA, T. *see* SENPUKU, H.
SCHÖNRICH, G. *see* SIEVERS, E.
SCHELLENBERG, R.R. *see* ZHENG, X.
SCHEYNIUS, A. *see* HOLMLUND, U.
SCHMITZ, A. *see* BAUER, D.
SCHULZ, O. & REIS E SOUSA, C. Cross-presentation of cell-associated antigens by CD8α^+ dendritic cells is attributable to their ability to internalize dead cells, 183
SENPUKU, H. *see* MATIN, K.
SENPUKU, H., ASANO, T., MATIN, K., SALAM, M.A., TSUHA, YUZO, HORIBATA, S., SHIMAZU, Y., SOENO, Y., AOBA, T., SATA, T., HANADA, N. & HONDA, M. Effects of human interleukin-18 and interleukin-12 treatment on human lymphocyte engraftment in NOD-scid mouse, 232
SERIZAWA, N. *see* YOSHITOMI, T.
SEWELL, W.A.C. & JOLLES, S. Immunomodulatory action of intravenous immunoglobulin, 387
SHAHIN, A. *see* DISSANAYAKE, S.
SHIMAZU, Y. *see* SENPUKU, H.
SHIMIZU, S. *see* WAN, W.
SHIMIZU, T. *see* KIDA, Y.
SHIRAISHI, A. *see* YOSHITOMI, T.
SIEVERS, E., NEUMANN, J., RAFTERY, M., SCHÖNRICH, G., EIS-HÜBINGER, A.M. & KOCH, N. Glycoprotein B from strain 17 of herpes simplex virus type I contains an invariant chain homologous sequence that binds to MHC class II molecules, 129
SIMS-MOURTADA, J.C. *see* GUZMAN-ROJAS, L.
SMITH, L.M. *see* WALSH, P.T.
SO, T. *see* TSUJIHATA, Y.
SOENO, Y. *see* SENPUKU, H.
SONG, S.-M. *see* LEE, Y.
SONGER, J.G. *see* TAMBOURGI, D.V.
STEUHL, K.-P. *see* BAUER, D.
STEVENSON, F.K. *see* FORCONI, F.
STEVENSON, M.M. *see* GUILBAULT, C.
STOTLAND, P. *see* GUILBAULT, C.
STREMMEL, W. *see* BOEHME, M.W.J.
SUGIYAMA, K. *see* WAN, W.
SZENTIRMAY, Z. *see* MAYER, B.

TAM, M. *see* GUILBAULT, C.
TAMBOURGI, D.V. *see* VAN DEN BERG, C.W.
TAMBOURGI, D.V., DE SOUSA DA SILVA, M., BILLINGTON, S.J., GONÇALVES DE ANDRADE, R.M., MAGNOLI, F.C., SONGER, J.G. & VAN DEN BERG, C.W. Mechanism of induction of complement susceptibility of erythrocytes by spider and bacterial sphingomyelinases, 93
TANAKA, H. *see* OHNUMA, K.
TANG, X., YOCUM, D.E., DEJONGHE, D. & NORDENSSON, K. Characterizing a soluble survival signal for activated lymphocytes from CD14$^+$ cells, 56
TANIGUCHI, Y. *see* YOSHITOMI, T.
TEJADA-SIMON, M.V., HONG, J., RIVERA, V.M. & ZHANG, J.Z. Skewed autoantibody reactivity to the extracellular domain of myelin oligodendrocyte glycoprotein in multiple sclerosis, 403
THOMPSON-SNIPES, L. *see* GUILBAULT, C.
TODD, I. *see* AMEL KASHIPAZ, M.R.
TORII, I., MORIKAWA, S. & HARADA, T. MD41, a novel T helper 0 clone, mediates mast-cell dependent delayed-type hypersensitivity in mice, 426
TODRYK, S. A sense of tumour for the immune system, 1
TSUHA, YUZO *see* SENPUKU, H.
TSUJIHATA, Y., MIZUKAMI, Y., UEDA, T., SO, T. & IMOTO, T. B-cell repertoire specific for an unfolded self-determinant of mouse lysozyme escape tolerance and dominantly participate in the autoantibody response, 394
TSURU, D. *see* YAMAMOTO, C.

UBALDI, V. *see* GATTA, L.
UCHIYAMA, M. *see* OHNUMA, K.
UEDA, T. *see* TSUJIHATA, Y.

VALENTA, R. *see* BUDDE, I.K.
VALENTA, R. *see* GRÖNLUND, H.
VAN HAGE-HAMSTEN, M. *see* GRÖNLUND, H.
VASSILIADIS, S.V. *see* ATHANASSAKIS, I.
VELLENGA, E. *see* HEIJINK, I.H.
VELLENGA, E. *see* ROOZENDAAL, R.
VRETHEM, M. *see* WIDHE, M.
VRTALA, S. *see* GRÖNLUND, H.

WALKER, D.C. *see* ZHENG, X.
WALKER, P.R., CALZASCIA, T. & DIETRICH, P.-Y. All in the head: obstacles for immune rejection of brain tumours, 28
WALSH, P.T., SMITH, L.M. & O'CONNOR, R. Insulin-like growth factor-1 activates Akt and Jun N-terminal kinases (JNKs) in promoting the survival of T lymphocytes, 461
WAN, W., SHIMIZU, S., IKAWA, H., SUGIYAMA, K. & YAMAGUCHI, N. Maternal cell traffic bounds for immune modulation: tracking maternal H-2 alleles in spleens of baby mice by DNA fingerprinting, 261
WASSINK, L. *see* DOOPER, M.M.B.W.
WATANABE, T. *see* HIRASAWA, N.
WIDHE, M., GRUSELL, M., EKERFELT, C., VRETHEM, M., FORSBERG, P. & ERNERUDH, J. Cytokines in Lyme borreliosis: lack of early tumour necrosis factor-α and transforming growth factor-β_1 responses are associated with chronic neuroborreliosis, 46
WIEDERMANN, U. *see* GRÖNLUND, H.
WIJESINGHE, S. *see* DISSANAYAKE, S.
WILKIE, D. *see* BACA-ESTRADA, M.E.

YAMAGUCHI, N. *see* WAN, W.
YAMAMOTO, C., TSURU, D., ODA-UEDA, N., OHNO, M., HATTORI, S. & KIM, S.-T. Flavoxobin, a serine protease from *Trimeresurus flavoviridis* (habu snake) venom, independently cleaves Arg726-Ser727 of human C3 and acts as a novel, heterologous C3 convertase, 111
YAMOCHI, T. *see* OHNUMA, K.
YOCUM, D.E. *see* TANG, X.
YOSHITOMI, T., HIRAHARA, K., KAWAGUCHI, J., SERIZAWA, N., TANIGUCHI, Y., SAITO, S., SAKAGUCHI, M., INOUYE, S. & SHIRAISHI, A. Three T-cell determinants of Cry j 1 and Cry j 2, the major Japanese cedar pollen antigens, retain their immunogenicity and tolerogenicity in a linked peptide, 517

VAN DER ZEE, J.S. *see* BUDDE, I.K.
ZHANG, J.Z. *see* TEJADA-SIMON, M.V.
ZHENG, X., KARSAN, A., DURONIO, V., CHU, F., WALKER, D.C., BAI, T.R. & SCHELLENBERG, R.R. Interleukin-3, but not granulocyte–macrophage colony-stimulating factor and interleukin-5, inhibits apoptosis of human basophils through phosphatidylinositol 3-kinase: requirement of NF-κB-dependent and -independent pathways, 306
ZHOU, Q. *see* FIRPO, E.J.
ZHU, X. *see* MYOU, S.
ZOLNAI, A. *see* MAYER, B.

Subject Index

Adhesion:
  intracellular signalling, 86
  rat macrophages, 86
Adhesion molecules:
  costimulation, 209
  LFA-1, 209
Allergens:
  cedar pollen, 517
  tolerogenicity, 517
Antibody repertoire:
  autoantibody, 136
  human, 136
  kinetics, 136
Antigen presentation:
  $CD8\alpha^+$ DCs 183
  cross-presentation, 183
Antigen presenting cells
  maturation, 500
  phenotype, 500
  phagocytosis, 500
Apoptosis:
  autoreactivity, 358
  basophils, 306
  CD20, 176
  Fas-mediated signalling, 452
  MLR, 358
  signalling, 306
  signalling, 435
  T cells, 452
  thymocytes, 435
  tryptophan deprivation, 452
Autoantibodies:
  human, 403
  myelin, 403
Autoantibody:
  dynamics of repertoire, 136
  human, 136

B cell lymphomas:
  human, 39
  idiotypic DNA vaccination, 39
B cell repertoire:
  autoantibodies, 394
  control, 167
  Fas/Fas ligand, 167
  germinal centers, 167
  tolerance, 394
β_2-Integrin:
  caused by PKC-activated $cPLA_2$, 77
  eosinophils, 77
  surface clustering, 77
Basophils:
  apoptosis, 306
  human, 306
  signalling, 306

C3:
  cleavage by serine protease, 111
  human, 111
Cancer immunotherapy:
  microbes as adjuvants, 10
Carbohydrate:
  adjuvants, 523
  allergy, 523
CD137:
  human T cell expression, 472
  induced by DNA damaging agents, 472
$CD14^+$ cells:
  IL-6 production, 56
  survival signals, 56
CD20:
  role in apoptosis, 176
  signalling through lipid rafts, 176
CD23:
  chimeric constructs, 373
  interaction with IgE, 373
  stalk region, 373
$CD25^+$ T regulatory cells:
  tumour immunity, 5

CD26:
  human, 325
  immunotherapy, 325
  T cell dysregulation, 325
$CD4^+$ T cells:
  antigen dose-dependent phenotype, 480
  apoptosis, 190
  cytokine production, 190
  murine, 480
  senescence-accelerated mouse strain SAMP1, 190
CD46:
  cleavage induced by spider venom, 102
Complement:
  C3 cleavage, 111
  C-mediated lysis, 102
  dependent lysis of erythrocytes, 93
  human, 111
  induced by spider venom, 102
  sphingomyelinase, 93
  spider venom, 93
Costimulation:
  CTLA-4 engagement, 209
  C-reactive protein:
  crosslinking $Fc\gamma RI$, 252
  mediated phagocytosis, 252
CTLA-4:
  effect on Ca^{2+} mobilization, 209
  murine, 209
  role in costimulation of LFA-1, 209
  signalling, 209

DC maturation:
  bone marrow-derived, 489
  role of IL-10, 489
Delayed type hypersensitivity (DTH):
  mast cell dependent, 426
  role of Th0 clone, 426
Dendritic cells:
  $CD8\alpha$, 183
  cross-presentation, 183
  endoycytosis, 183
  epidermal, 69
  GM-CSF culture, 366
  MHC class II expression transcutaneous, 69
  ovine, 366
  phenotype, 366
  splenic, 183
DNA damage:
  induces CD137 expression, 472
DNA vaccines:
  B cell tumours, 39
  lymphoma, 39

Endothelial cells:
  oxygen radicals, 340
  thrombomodulin release, 340
Eosinophils
  integrin clustering
Epithelial cells:
  IgG1 secretion, 288

FcRn:
  IgG1 secretion, 288
  mucosal immunity, 288
  neonatal, 288
Flt3L:
  influence on immune response following immunisation, 69
  murine DCs, 69
  skin, 69
  synergy with cholera toxin, 69

G1/S cell cycle:
  human T cells, 325
  immunotherapy, 325
Germinal centers:
  B cell death, 167
  B cell survival, 167
  control of B cell repertoire, 167
Glutathione metabolism:
  modulation of Th1/Th2 balance, 334

Granulysin:
gene expression, 507
human, 507

Helminth infection:
carbohydrate antigens, 411
IgG1, 411
IL-6, 411
Th1/Th2 balance, 411
Hematopoietic homeobox gene (Hex):
myeloid, 444
T-cell development, 444
Histamine receptors:
role in neutrophil infiltration, 217
role in vascular permeability, 217
Histamine:
releasing factors, 243
HLA-DR:
binding to HSV-1, 129
HSV-1 infection:
antigen processing. 129
conjunctival macrophages, 118
Glycoprotein B, 129
Human PBMC:
cytokine production, 152
response to PGE, 152

IgA nephropathy:
role of cytokines, 232
IgE:
autoreactivity, 243
association with histamine-releasing factor, 243
histamine-releasing factor, 243
IgE production:
CD23 interaction, 373
IL-10:
DC maturation, 489
role in T-cell priming, 489
IL-10 KO:
gender, 297
inflammatory response, 297
lung infection, 297
IL-12:
effect on human lymphocyte engraftment, 232
human, 232
IL-18:
effect on human lymphocyte engraftment, 232
human, 232
IL-6:
from $CD14^+$ cells, 56
primes Th2 cytokine production, 316
Immunomodulation:
by IVIg, 387
mechanisms, 387
Immunotherapy:
brain tumour, 28
immune privilege, 28
Insulin-life growth factor-1 (IGF-1):
role in T-cell survival, 461
Intravenous immunoglobulin (IVIg):
human, 387
immunomodulatory action, 387

Jun N terminal kinases (JNKs):
signalling, 461
T-cell survival, 461

Lectins:
intranasal delivery, 268
mucosal adjuvant properties, 268
Lipid rafts:
role in CD20 signallling, 176

Macrophage:
BCG infection, 500
corneal infection, 118
HSV-1, 118
Maternal cell traffic:
induction of tolerance, 261
Maternal H-2 alleles:
spleen, 261
Mixed lymphocyte reaction (MLR):
autologous, 358
human, 358
model for autoreactivity, 358
SLE, 358

Mucosal adjuvant:
enhancement of Th2 response, 268
mistletoe lectin, 268
Multiple sclerosis:
autoantibodies to myelin oligodendrocyte glycoprotein, 403
Mycobacteria:
antigen presentation, 500
dendritic cell, 500
Mycobacteria:
as tumour vaccine adjuvants, 10

Neutrophils:
in histidine decarboxylase–deficient mice, 217
Nitric oxide:
glutathione metabolism, 334
induced apoptosis, 334
NOD mice:
role of IL-12 and IL-18, 232
SDF-1, 222
trafficking of autoreactive B cells, 222

P13-K:
human basophils, 306
PKC activation:
induces β_2-integrin clustering, 77
pregnancy, 281
Prostaglandin PGE:
effect on PBMC cytokine production, 152
human, 152
immunomodulatory effects, 152

Reproductive immunology:
role of TLRs, 145

Senescence-accelerated mouse strain SAMP1:
$CD4^+$ apoptosis, 190
IL-2 production, 190
Soluble MHC antigens:
pregnancy, 281
Spider venom:
CD46, 102
metalloproteinase induction, 102
Stat-1 dependent responses:
induced by LPS, 199
NFκB pathway, 199
regulation by cytokines, 199
role of retinoic acid, 199
Stromal-cell derived factor-1 (SDF-1):
NOD mice, 222
role in autoimmunity, 222

T:B cell interaction:
role in tolerance induction, 420
T-cell survival:
role of insulin-like growth factor 1 (IGF-1), 461
TGFβ:
anti-inflammatory response, 46
human, 46
Lyme Borreliosis, 46
Th0 clone:
cytokine production, 426
role in DTH, 426
Th1/Th2 cytokines:
pregnancy, 281
TH2 cytokines
human, 316
signal transduction, 316
Th2 response:
induced by mucosal adjuvant, 268
Thymus:
atrophy, 435
Hex expression, 444
rat, 435
T cell development, 444
thymocyte apoptosis, 435
TLRs:
human placenta, 145
regulation by microbial stimulus, 145
TNFα:
Lyme Borreliosis, 46
human, 46
Tolerance induction:
autoantibodies, 394
B cell repertoire, 394
B cell tolerance, 394

Tolerance:
immunization of pregnant mice, 261
induced by blood borne
antigen, 420
pregnancy, 261
T:B cell interaction, 420
Transcription factors:
AP-1, 507
human monocytes, 507
Tuberculosis:
iNOS, 350
latency, 350
mouse model, 350
Tumour immunity:
acute myeloid leukaemia, 20
brain, 28
regulation by $CD25^+$ T cells, 5
tumour antigens, 1
tumour specific T cells, 1

Veterinary immunology:
ovine DCs, 366